## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re:

Claude Weisbuch; Henri Benisty

Appl. No.:

To be assigned

Group Art Unit: To be assigned

Filed:

Concurrently herewith

For:

AN IMPROVED SUPPORT FOR CHROMOPHOBIC ELEMENTS

Commissioner for Patents Washington, DC 20231

February 12, 2002

# PRELIMINARY AMENDMENT 37 CFR § 1.115

Dear Sir:

Please amend the above-identified application as follows:

## In The Specification:

Page 1, after the title and before the first paragraph please insert the following:

# **Cross-Reference to Related Applications**

This application is a continuation of pending PCT International Application PCT/FR01/02645, filed August 21, 2001, designating inter alia the United States.

### In The Claims:

3. (Amended) A device according to claim 1, characterized in that it comprises microlenses formed in a layer of the substrate at a distance from each chromophoric element (5) and arranged to focus the light emitted into the substrate towards the collecting device.

Appl. No.: To be assigned Filed: Concurrently herewith

Page 2 of 8

- 4. (Amended) A device according to claim 1, characterized in that it comprises diffraction means formed in a layer of the substrate at a distance from the chromophoric elements (5) and arranged so as to diffract the light emitted into the substrate towards the collecting device.
- 11. (Amended) A device according to claim 9, characterized in that said upper layer is produced from a porous material, in particular silica gel.
- 12. (Amended) A device according to claim 9, characterized in that the upper layer comprises holes at selected locations, to encourage migration of chromophoric elements (5) towards said sites.
- 13. (Amended) A device according to claim 10, characterized in that one of the mirrors or each mirror is constituted by a multiplicity of dielectric layers.
- 27. (Amended) A device according to claim 24, characterized in that it comprises a planar waveguide (14) placed substantially below the chromophoric elements (5) and arranged to collect the light emitted by said chromophoric elements in the direction of support means (1) and guide it in the direction of the planar resonator (12).
- 30. (Amended) A device according to claim 28, characterized in that the upper surface of the substrate (2) comprises an irregular film of silver or a multiplicity of organized silver nanostructures, said film or said nanostructures being capable of receiving chromophoric elements (5).

Appl. No.: To be assigned Filed: Concurrently herewith

Page 3 of 8

- 31. (Amended) A device according to claim 2, characterized in that the substrate (2) is associated with a matrix (17) of charge coupled (CCD) light detection elements, at least some of these detecting elements being capable of being electronically addressed in correspondence with at least one chromophoric element (5).
- 34. (Amended) A device according to claim 31, characterized in that it comprises, between the matrix (17) and substrate (2), reflective means (3) arranged to reject light intended to excite the chromophoric elements.
- 35. (Amended) A device according to claim 31, characterized in that it comprises an absorbent layer (23) that is insensitive to the angle of incidences located between the matrix of detection elements (17) and said reflective means (3) arranged below the chromophoric elements (5).
- 36. (Amended) A device according to claim 1, characterized in that the collecting device comprises a matrix (27) of photodetectors (17) arranged above the face of the substrate (2) carrying the chromophores (5) and receiving light emitted by the chromophores (5) through a filter (29) for rejecting excitation light.
- 37. (Amended) A device according to claim 36, characterized in that it comprises two said photodetector matrices (17) placed respectively below and above the chromophoric elements (5) and associated with rejection filters (23, 29) for receiving the light emitted by the chromophoric elements over two distinct wavelengths.

Appl. No.: To be assigned Filed: Concurrently herewith Page 4 of 8

39. (Amended) A device according to claim 1, characterized in that it comprises a planar waveguide (25) for supplying excitation light ( $\lambda_{exc}$ ) to the chromophoric elements (5).

- 41. (Amended) A device according to claim 38, characterized in that the waveguide (14, 25) comprises channels (15) close to each chromophoric element (5), said channels defining a blazed grating arranged to direct the light collected by the waveguide towards the collecting device.
- 42. (Amended) A device according to claim 1, characterized in that the chromophoric elements (5) are selected from the group formed by molecules that can emit chromophoric or chromogenic signals and semiconductor nanostructures bound to the upper face (44) of the support (1) and capable of receiving a probe (respectively a target) that can interact with a target (respectively a probe).
- 43. (Amended) A device according to claim 1, characterized in that the chromophoric elements (5) are couples comprising a target (respectively a probe) having interacted with a probe (respectively a target) integral with the upper surface (24) of the support (1).

Appl. No.: To be assigned Filed: Concurrently herewith

Page 5 of 8

#### **REMARKS**

The claims have been amended conform them to the multiple dependent claim practice of the United States.

It is not believed that extensions of time or fees for net addition of claims are required, beyond those that may otherwise be provided for in documents accompanying this paper. However, in the event that additional extensions of time are necessary to allow consideration of this paper, such extensions are hereby petitioned under 37 CFR § 1.136(a), and any fee required therefore (including fees for net addition of claims) is hereby authorized to be charged to Deposit Account No. 16-0605.

Respectfully submitted,

Raymond O. Linker, Jr. Registration No. 26,419

CUSTOMER NO. 00826 **ALSTON & BIRD LLP** Bank of America Plaza 101 South Tryon Street, Suite 4000 Charlotte, NC 28280-4000 Tel Charlotte Office (704) 444-1000 Fax Charlotte Office (704) 444-1111

"Express Mail" Mailing Label Number EL 822757540 US Date of Deposit: February 12, 2002

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 OFR 1.10 on the date indicated above and is addressed to Box Patent Application, Commissioner for Patents, Washington, DC 20231.

Jorna Morehead

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, Washington, DC 20231, on February 12, 2002.

Appl. No.: To be assigned Filed: Concurrently herewith

Page 6 of 8

#### **Version With Markings to Show Changes Made:**

- 3. (Amended) A device according to claim 1 [or claim 2], characterized in that it comprises microlenses formed in a layer of the substrate at a distance from each chromophoric element (5) and arranged to focus the light emitted into the substrate towards the collecting device.
- 4. (Amended) A device according to claim 1 [or claim 2], characterized in that it comprises diffraction means formed in a layer of the substrate at a distance from the chromophoric elements (5) and arranged so as to diffract the light emitted into the substrate towards the collecting device.
- 11. (Amended) A device according to claim 9 [and claim 10], characterized in that said upper layer is produced from a porous material, in particular silica gel.
- 12. (Amended) A device according to [any one of claims 9 to 11] <u>claim 9</u>, characterized in that the upper layer comprises holes at selected locations, to encourage migration of chromophoric elements (5) towards said sites.
- 13. (Amended) A device according to [any one of claims 10 to 12] <u>claim 10</u>, characterized in that one of the mirrors or each mirror is constituted by a multiplicity of dielectric layers.
- 27. (Amended) A device according to [any one of claims 24 to 26] <u>claim 24</u>, characterized in that it comprises a planar waveguide (14) placed substantially below the chromophoric elements (5) and arranged to collect the light emitted by said chromophoric elements in the direction of support means (1) and guide it in the direction of the planar resonator (12).

Appl. No.: To be assigned Filed: Concurrently herewith Page 7 of 8

30. (Amended) A device according to claim 28 [or claim 29], characterized in that the upper surface of the substrate (2) comprises an irregular film of silver or a multiplicity of organized silver nanostructures, said film or said nanostructures being capable of receiving chromophoric elements (5).

- 31. (Amended) A device according to [any one of claims 2 to 30] <u>claim 2</u>, characterized in that the substrate (2) is associated with a matrix (17) of charge coupled (CCD) light detection elements, at least some of these detecting elements being capable of being electronically addressed in correspondence with at least one chromophoric element (5).
- 34. (Amended) A device according to [any one of claims 31 to 33] <u>claim 31</u>, characterized in that it comprises, between the matrix (17) and substrate (2), reflective means (3) arranged to reject light intended to excite the chromophoric elements.
- 35. (Amended) A device according to [any one of claims 31 to 34] <u>claim</u>
  31, characterized in that it comprises an absorbent layer (23) that is
  insensitive to the angle of incidences located between the matrix of
  detection elements (17) and said reflective means (3) arranged below the
  chromophoric elements (5).
- 36. (Amended) A device according to [any one of claims 1 to 8, 13 to 27 and 31 to 35] claim 1, characterized in that the collecting device comprises a matrix (27) of photodetectors (17) arranged above the face of the substrate (2) carrying the chromophores (5) and receiving light emitted by the chromophores (5) through a filter (29) for rejecting excitation 1ight.

Appl. No.: To be assigned Filed: Concurrently herewith

Page 8 of 8

- 37. (Amended) A device according to [claims 31 and 36 taken together] claim 36, characterized in that it comprises two said photodetector matrices (17) placed respectively below and above the chromophoric elements (5) and associated with rejection filters (23, 29) for receiving the light emitted by the chromophoric elements over two distinct wavelengths.
- 39. (Amended) A device according to [any one of claims 1 and 31 to 38] claim 1, characterized in that it comprises a planar waveguide (25) for supplying excitation light ( $\lambda_{exc}$ ) to the chromophoric elements (5).
- 41. (Amended) A device according to [any one of claims 35 to 40] claim 38, characterized in that the waveguide (14, 25) comprises channels (15) close to each chromophoric element (5), said channels defining a blazed grating arranged to direct the light collected by the waveguide towards the collecting device.
- 42. (Amended) A device according to [any one of claims 1 to 41] <u>claim 1</u>, characterized in that the chromophoric elements (5) are selected from the group formed by molecules that can emit chromophoric or chromogenic signals and semiconductor nanostructures bound to the upper face (44) of the support (1) and capable of receiving a probe (respectively a target) that can interact with a target (respectively a probe).
- 43. (Amended) A device according to [any one of claims 1 to 42] <u>claim 1</u>, characterized in that the chromophoric elements (5) are couples comprising a target (respectively a probe) having interacted with a probe (respectively a target) integral with the upper surface (24) of the support (1).